Guava Pest Weather Calendar: Rajshahi Region (Dists.: Rajshahi, Chapainawabganj, Naogaon and Natore) Bangladesh **Pest**: Fruit borer

	Region: Rajshahi	Guava																			Duration: 140 days
Weather warning	Months	Jan	February				March				April				May						June
	Max.Temp. (°C)	> 34°C																			
	Min. Temp. (°C)	> 18°C																			
	RHMax (%)	> 88%																			
	RHMin (%)	> 32%																			
	Rainfall (mm)	> 10 mm																			
Weekly normal weather	Std. week	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
	Rainfall (mm)	4.0	3.0	2.0	3.0	5.0	4.0	3.0	4.0	14.0	13.0	10.0	19.0	17.0	24.0	29.0	33.0	36.0	34.0	48.0	51.0
	Max.Temp (°C)	25.6	26.7	28.1	29.3	30.4	32.1	33.1	34.6	35.0	36.1	36.7	36.4	35.9	35.4	35.3	35.1	35.0	35.3	35.0	33.9
	Min.Temp (°C)	12.0	12.3	13.6	14.1	15.1	16.4	17.6	19.4	20.6	22.1	23.0	23.4	23.9	23.7	24.3	24.6	25.0	25.4	25.9	26.0
	RHMax(%)	95.3	94.0	93.9	92.0	91.6	90.3	88.7	88.3	89.1	88.9	89.0	90.1	90.7	92.1	92.7	93.3	93.1	93.7	94.6	95.4
	RHMin(%)	44.7	42.0	40.3	36.6	34.6	32.7	30.4	30.4	35.9	34.3	34.6	41.4	45.1	50.0	51.9	55.6	58.3	58.9	62.6	67.9
	SShr(hrs)	51.0	55.0	56.0	58.0	59.0	59.0	59.0	59.0	52.0	57.0	57.0	57.0	56.0	52.0	53.0	54.0	48.0	51.0	48.0	35.0
Stages		Appearance of flower buds		Flower bud visible		Flower opening			Fruit setting			Fruit growth						Fruit maturity and ripening			
Insect's life cycle						Egg		 Larva		Pupa	Adult	Egg	Larva		Pupa	Adult					