Jujubee (Boroi) Pest Weather Calendar: Jashore Region (**Dists.:** Jashore, Kushtia, Chuadanga, Jhenaidah, Meherpur, Magura) Bangladesh **Pest**: White Spider mite

	Region: Jashore	Jujubee (Boroi)																														
		Duration: 224 days																														
Weather warning	Months	July	August					September				October					November				December				January				February				Mar.
	Max. Temp. (°C)	>32° C																														
	Min. Temp. (°C)	>25° C																														
	RHmax (%)	> 96 %																														
	RHMin (%)	> 70 %																														
	Rainfall (mm)	> 60 mm																														
Weekly normal weather	Std.Week	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9
	Rainfall (mm)	73	64	56	68	49	51	53	68	59	70	45	33	27	20	9	8	8	1	2	2	4	0	4	1	2	3	3	7	5	5	8	4
	Max. Temp. (°C)	32.7	33.0	32.8	32.7	33.1	33.3	32.9	32.9	33.0	33.2	33.2	33.0	32.7	31.9	31.1	31.1	30.3	29.6	28.5	27.7	26.6	25.7	25.2	24.5	24.5	25.1	25.6	26.6	27.8	28.9	30.0	31.0
	Min. Temp. (°C)	26.2	26.0	26.2	26.0	26.1	26.0	26.0	26.0	26.0	25.3	25.1	24.4	23.4	21.6	20.7	19.4	18.0	16.7	15.1	14.0	13.4	12.3	11.4	10.9	10.7	11.0	10.8	12.0	13.3	14.7	15.6	16.4
	RHmax (%)	96.1	96.0	96.2	96.5	96.2	96.2	96.4	96.6	96.3	96.6	96.5	96.5	96.5	96.1	95.9	95.9	95.7	95.7	95.4	95.2	95.8	95.5	95.7	95.4	95.3	95.3	94.9	94.9	94.2	94.0	93.7	93.2
	RHMin (%)	73.4	72.6	73.0	73.0	71.7	71.0	71.5	70.8	69.7	67.7	67.0	64.4	61.5	57.1	56.2	52.0	49.8	48.1	46.3	47.2	49.2	49.4	47.9	49.6	47.9	47.0	44.7	44.2	42.2	41.0	39.3	36.5
	SShr (hrs)	29.5	32.5	30.0	28.0	30.5	32.5	31.5	33.0	32.5	38.5	40.0	43.5	47.0	49.0	45.5	48.5	49.5	47.5	48.5	47.5	43.5	42.0	42.0	41.0	42.5	44.5	48.0	47.5	49.5	50.0	54.5	55.0
Stages		Inflorescence emergence		Flowering & Fruit setting.									Fruit development																Fruit maturity and Harvesting.								
Life cycle		 Egg	Larva	 Nymph	Adult		 Egg	Larva	Nymph	Adult																								