













Crop Insect Weather Calendar of *Rabi* season Pointed gourd (Fruit fly): Rajshahi region (Districts:Rajshahi, Chapai Nawabganj, Naogaon, Natore), Bangladesh

Region: Rajshahi		Rabi season pointed gourd: (Fruit fly)													Duration: 100-120 days				
Weather warning	Months	September					October				November				December				
	Max. Temp. (°C)	30° C																	
	Min. Temp. (°C)	24° C																	
	RH Max (%)	75%																	
	RH Min (%)	55																	
	Rainfall (mm)	Cloudy and rainy conditions																	
Weekly normal	Std. Week/Normal	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	
	Rainfall (mm)	54.0	59.0	52.0	83.0	44.0	35.0	23.0	12.0	7.0	5.0	1.0	0.0	2.0	1.0	3.0	0.0	4.0	
	Max. Temp. (°C)	32.9	33.0	33.0	32.9	32.7	32.3	31.7	32.3	31.7	31	29.6	28.9	28.3	27.0	26.0	25.4	24.4	
	Min. Temp. (°C)	26.0	26.0	26.0	25.3	25.0	24.1	23.1	24.1	23.1	21.4	17.6	16.6	15.0	14.0	13.1	12.4	11.6	
	RH max (%)	96.3	96.7	96.3	96.7	96.3	96.4	96.1	96.4	96.1	96.0	95.7	95.3	94.7	94.7	95.9	95.3	95.7	
	RH Min (%)	71.3	71.0	69.9	68.9	67.4	64.3	60.9	64.3	60.9	57.4	49.4	47.4	45.6	46.9	50.1	50.0	50.0	
	SS hr (hrs)	35.0	38.0	40.0	43.0	46.0	47.0	53.0	47.0	53.0	56.0	54.0	55.0	55.0	51.0	47.0	46.0	44.0	
Stage																			
	Spouting & Seedling		vegetative growth					Flowering & fruiting					Harvesting						
Insect Life Cycle																			
	Egg		Larva/Nymph					Eggs	Maggots	Pupa	Adult	Eggs	Maggots	Pupa	Adults				

