























Crop Insect Weather Calendar *Rabi* season Brinjal (Leaf hopper insect): Rajshahi Region (Districts: Rajshahi, chapainawabgonj, Naogaon, Natore) Bangladesh

Region: Rajshahi		<i>Rabi</i> Season Brinjal: Leaf hopper insect											Life span 140-150 day									
Weather warning	Months	November			December				January				February			March						
	Max. Temp. (°C)	31 oC; the optimum temperature for egg laying is 24 oC with no egg laying above 32 oC or below 16.5 oC.																				
	Min. Temp. (°C)	21 oC; the optimum temperature for egg laying is 24 oC with no egg laying above 32 oC or below 16.5 oC.																				
	RH Max (%)	Morning relative humidity 82 to 90 percent favored population dynamics																				
	RH Min (%)	Evening relative humidity 55 to 66 percent favored population dynamics																				
	Rainfall (mm)	Rainfall is favorable for the activity of leafhopper																				
Weekly normal weather	Std.Week/Normal	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12
	Rainfall (mm)	7.0	5.0	1.0	0.0	2.0	1.0	3.0	0.0	4.0	1.0	1.0	2.0	1.0	4.0	3.0	2.0	3.0	5.0	4.0	3.0	4.0
	Max. Temp. (°C)	31.7	31.0	30.4	30.4	29.6	27.0	26.0	25.4	24.4	24.0	23.9	24.0	24.9	25.6	26.7	28.1	29.3	30.4	32.1	33.1	34.6
	Min. Temp. (°C)	23.1	21.4	20.7	19.3	17.6	14.0	13.1	12.4	11.6	11.0	10.9	10.9	10.9	12.0	12.3	13.6	14.1	15.1	16.4	17.6	19.4
	RH max (%)	96.1	96.0	95.9	96.1	95.7	94.7	95.9	95.3	95.7	95.6	95.1	95.3	95.3	95.3	94.0	93.9	92.0	91.6	90.3	88.7	88.3
	RH Min (%)	60.9	57.4	55.9	51.9	49.4	46.9	50.1	50.0	50.0	50.1	48.4	47.9	45.7	44.7	42.0	40.3	36.6	34.6	32.7	30.4	30.4
	SS hr (hrs)	53.0	56.0	55.0	57.0	54.0	51.0	47.0	46.0	44.0	42.0	42.0	46.0	52.0	51.0	55.0	56.0	58.0	59.0	59.0	59.0	59.0
Stages																						
	Germination and Seedling Planting		Vegetative Growth				Flowering			Fruiting			Harvesting									
Insect Life cycle																						
	Eggs laying & hatching (7 to 10 days)		Nymph (14 to 30 days)		Adult (16 to 18 days)		Eggs laying & hatching (7 to 10 days)		Nymph (14 to 30 days)		Adult (16 to 18 days)											

Crop Insect Weather Calendar *Kharif* season Brinjal (Leaf hopper insect): Rajshahi Region (Districts: Rajshahi, chapainawabgonj, Naogaon, Natore) Bangladesh

Region: Rajshahi		Kharif Season Leaf hopper insect											Life span 140-150 day													
Weather warning	Months	May					June					July					August					September				
	Max. Temp. (°C)	31 oC; the optimum temperature for egg laying is 24 oC with no egg laying above 32 oC or below 16.5 oC.																								
	Min. Temp. (°C)	21 oC; the optimum temperature for egg laying is 24 oC with no egg laying above 32 oC or below 16.5 oC.																								
	RH Max (%)	Morning relative humidity 82 to 90 percent favored population dynamics																								
	RH Min (%)	Evening relative humidity 55 to 66 percent favored population dynamics																								
	Rainfall (mm)	Rainfall is favorable for the activity of leafhopper																								
Weekly normal weather	Std.Week/Normal	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39			
	Rainfall (mm)	102.5	107.5	122.0	116.5	148.5	152.0	168.0	129.5	137.5	130.0	110.0	129.5	129.0	123.5	103.0	118.5	105.0	96.0	107.0	94.0	82.0	81.5			
	Max. Temp. (°C)	31.5	31.6	31.9	32.2	31.5	31.9	31.6	31.9	31.9	31.7	32.0	31.8	32.2	32.3	32.8	32.2	32.2	32.5	32.2	32.2	32.2	31.7			
	Min. Temp. (°C)	22.0	22.7	23.2	23.6	24.0	24.4	24.9	25.0	25.0	25.0	25.2	25.0	25.0	25.1	25.3	25.2	25.0	25.0	25.0	25.0	25.0	24.2			
	RH max (%)	94.0	94.6	94.7	94.9	95.2	95.8	96.0	96.2	96.0	95.9	96.0	96.1	96.2	96.4	96.2	96.4	96.3	96.3	96.4	96.4	96.1	96.5			
	RH Min (%)	63.1	64.2	65.6	67.2	70.6	71.8	73.6	73.7	74.0	73.9	73.4	74.2	72.6	72.4	70.9	72.8	73.0	72.4	72.3	71.7	71.4	71.8			
	SS hr (hrs)	45.0	43.5	43.5	38.5	33.5	31.5	26.0	27.5	23.5	25.0	27.0	26.0	30	33.0	33.5	29.5	32.5	33.5	32.5	33.0	34.0	34.5			
Stages																										
	Germination and Seedling Planting		Vegetative Growth					Flowering					Fruiting					Harvesting								
Insect Life cycle																										
	Eggs laying & hatching (7 to 10 days)		Nymph (14 to 30 days)		Adult (16 to 18 days)		Eggs laying & hatching (7 to 10 days)		Nymph (14 to 30 days)		Adult (16 to 18 days)															